



**UNITED STATES DEPARTMENT OF COMMERCE**  
**National Institute of Standards and Technology**  
Gaithersburg, Maryland 20899-0001

DATE: 30 November 2015

**Product Identifier**

**SRM Number:** 1958

**SRM Name:** Organic Contaminants in Fortified Human Serum (Freeze-Dried)

Under the U.S. Department of Labor, Occupational Safety and Health Administration (OSHA) 29 CFR 1910.1200, this Standard Reference Material (SRM) is NOT classified as a physical hazard or a health hazard, a simple asphyxiant, combustible dust, pyrophoric gas, or hazard not otherwise classified. There are no hazard pictograms, hazard statements or signal word associated with it. Safety Data Sheet information is not required. This document may be used in conjunction with your hazard communication program.

**Exemption:** 1910.1200(b)(6)(xii). This SRM is a biological material and should be considered a potential biological hazard.

**Description:** This SRM is intended for use in evaluating analytical methods for the determination of selected trace quantities of polychlorinated biphenyl (PCB) congeners, chlorinated pesticides, and polybrominated diphenyl ether (PBDE) congeners in human serum and similar matrices. A unit of SRM 1958 consists of five bottles each containing freeze-dried non-fortified human serum. Before use, the serum in each bottle must be reconstituted with 10.7 mL of distilled or HPLC-grade water.

**Additional Notes for Biomaterials:** SRM 1958 IS INTENDED FOR RESEARCH USE. THIS IS A HUMAN-SOURCE MATERIAL. HANDLE PRODUCT AS A BIOHAZARDOUS MATERIAL CAPABLE OF TRANSMITTING INFECTIOUS DISEASE. The supplier of the serum has tested the source materials used to prepare this product and found them non-reactive/negative for hepatitis B surface antigen (HbsAg) and human immunodeficiency (HIV) 1 and 2 antibodies. However, no known test method can offer complete assurance that hepatitis B virus, HIV, or other infectious agents are absent from this material. Accordingly, this human blood-based product should be handled at the Biosafety Level 2 or higher as recommended for any POTENTIALLY INFECTIOUS HUMAN SERUM OR BLOOD SPECIMEN in the Centers for Disease Control and Prevention/National Institutes of Health Manual.

**Disposal:** SRM 1958 components and derived solutions should be disposed of in accordance with local, state, and federal regulations.

**Transport Information:** This material is not regulated by the U.S. Department of Transportation (DOT) and/or International Air Transportation Association (IATA).

**Disclaimer:** This document was prepared carefully, using current references. Users of this SRM should ensure that this document and the corresponding Certificate of Analysis in their possession are current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail [srmmsds@nist.gov](mailto:srmmsds@nist.gov); or via the Internet at <http://www.nist.gov/srm>.